



Roller Blinds

Product Information and Specifications

Nomad blinds stocks two different systems in its range of Roller Blinds. Both Systems are high quality but have their differences which make them more suitable for some circumstances and not as suitable for others, of course personal preference also plays its part.

The Acmeda System

Australian made and designed and the most popular system in Australia. The Acmeda system is a very highly engineered robust system capable of handling wide spans and awkward corner situations as well as handling standard scenarios with ease. The Acmeda system is the only system in our range capable of a 45 degree coupling.

Acmeda Systems used at Nomad Blinds

RB08 MK 2 Roller System 40mm, 45mm & 45mm HD which has a 7mm adjustable Idler Extension which means that small errors in measurement can be overcome with ease. The System has a 3kg breaking capacity which will handle most blinds up to about 3 meter in width, retro fit spring booster are available to aid in ease of operation and the system can be motorised.

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: inquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Acmeda Roller Blinds 810 – 2310 Wide

- Acmeda 38mm Projection Brackets
- Extension Brackets (55mm) available
- Acmeda System 40 MK 2 Clutch (3kg braking capacity)
- Acmeda 38mm Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 67mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 16mm on the chain side and 14mm on the pin.
- Motor options are available
- Couplings Straight and 45 degree
- Duel blind (Combo) Couplings (Straight only)
- Duel blind (Combo) Brackets LH & RH Control & Same Side

Acmeda Roller Blinds 2310 – 2610 Wide

- Acmeda 38mm Projection Brackets
- Extension Brackets (55mm) available
- Acmeda System 45 MK 2 Clutch (3kg braking capacity)
- Acmeda 43mm Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 67mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 16mm on the chain side and 14mm on the pin.
- Motor options are available
- Couplings Straight and 45 degree
- Duel blind (Combo) Couplings (Straight only)
- Duel blind (Combo) Brackets LH & RH Control & Same Side

Acmeda Roller Blinds 2610 – 3000 Wide

- Acmeda 38mm Projection Brackets
- Extension Brackets (55mm) available
- Acmeda System 45 MK 2 Clutch (3kg braking capacity)
- Acmeda 43mm Heavy Duty Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 67mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 16mm on the chain and 14mm on the pin.
- Motor options are available
- Couplings Straight and 45 degree
- Duel blind (Combo) Couplings (Straight only)
- Duel blind (Combo) Brackets LH & RH Control & Same Side

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Rollease System

Designed in America, Rollease are the inventors of the Chain Clutch mechanism which makes the Roller Blind possible. When working with couplings Rollease has the infinitely adjustable coupling system which allows installers to fit blinds and then simply adjust bottom bar height using the easy adjustment wheel. Universal brackets make this system easy to work with when it comes to large commercial project and intermediate bracketing means you can share one bracket between two blinds (idle couplings without expensive bearing brackets are available).

Rollease Systems used at Nomad Blinds

Skyline SL15 Chain Clutch 40mm & 50mm system has a 7mm spring loaded pin which means that small errors in measurement can be overcome with ease. The 6.8kg breaking capacity clutch can handle most widths up to 2.6 meters with ease. Spring boosters are available and motors can be fitted to the 50mm system

Skyline SL20 Chain Clutch 40mm & 50mm HD System which has a 7mm heavy duty spring loaded pin which means as with SL15 small errors in measurement can be overcome. The 9.1kg breaking capacity clutch can handle most widths up to 3.2 meters with ease. Spring boosters are available and motors can be fitted to the 50mm system.

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Rollease Roller Blinds 810 – 2410 Wide

- Rollease 38mm Brackets
- SL15 Clutch (6.8kg braking capacity)
- Rollease 38mm High Tensile Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 70mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 15mm on the chain side and 15mm on the pin.
- Motor options are available (with 50mm tube upgrade)
- Couplings Straight
- Duel blind (Combo) Brackets Right angle and vertical Universal
- Intermediate Bracketing Single & Combo (PIN2PIN)

Rollease Roller Blinds 2410 - 2610 Wide

- Rollease 38mm Brackets
- SL20 Clutch (9.1kg braking capacity)
- Rollease 38mm Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 75mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 15mm on the chain side and 15mm on the pin.
- Motor options are available (With 50mm tube upgrade)
- Couplings Straight
- Duel blind(Combo) Brackets Right angle and vertical Universal
- Intermediate Bracketing Single & Combo (PIN2PIN)

Rollease Roller Blinds 2610 – 3210 Wide

- Rollease 50mm Brackets
- SL20 Clutch (9.1kg braking capacity)
- Rollease 50mm Aluminium Tube
- Total blind projection from wall to end of chain mechanism is 75mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 17mm on the chain and 17mm on the pin.
- Motor options are available
- Couplings Straight
- Duel blind (Combo) Brackets Right angle and vertical Universal Intermediate Bracketing Single & Combo (PIN2PIN)

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Roller Blinds 3m+

Product Information and Specifications

Nomad blinds stocks two different systems in its range of 3m+ Roller Blinds. Both Systems are high quality but have their differences which make them more suitable for some circumstances and not as suitable for others, again personal preference also plays its part.

The Acmeda System

Australian made and designed and the most popular system in Australia. The Acmeda System is a very highly engineered robust system capable of handling wide spans and awkward corner situations as well as handling standard scenarios with ease. The Acmeda system is the only system in our range capable of a 45 degree coupling.

Acmeda Systems used at Nomad Blinds

RB10 Heavy Duty System 60mm & 80mm, has one of the smoothest chain clutch systems available, RB10 has an 8-11KG breaking capacity, Upgradable with spring boosters, it will handle almost anything. RB10's capacity can be further upgraded by fitting it with a motor which can lift even more weight which makes it almost indestructible. Low light gaps are unique to this heavy duty system.

V1.1

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Acmeda Extra Wide Blinds 3000 – 3400

- Acmeda 60mm Projection Brackets
- Acmeda System RB10 Clutch (8-11kg braking capacity)
- Acmeda 60mm Standard Duty Aluminium Tube
- Spring Assist Standard
- Total blind projection from wall to end of chain mechanism is 95mm
- Continuous Stainless Steel Chain plastic as standard.
- Gap from fabric to wall is 15mm on the chain and 15mm on the pin.
- 50mm Motors only
- Couplings Straight and 45 degree
- Duel Blind (Combo) Couplings (Top fix / Ceiling fix only) (Straight only)
- Duel Blind (Combo) Brackets Universal (Top fix / Ceiling fix only)

Acmeda Extra Wide Blinds 3400 – 3800+

- Acmeda 60mm Projection Brackets
- Acmeda System RB10 Clutch (8-11kg braking capacity)
- Acmeda 80mm Heavy Duty Aluminium Tube
- Spring Assist as Standard
- Total blind projection from wall to end of chain mechanism is 95mm
- Continuous Stainless Steel Chain.
- Gap from fabric to wall is 15mm on the chain and 15mm on the pin.
- 50mm Motors only
- Couplings Straight and 45 degree
- Duel Blind (Combo) Couplings (top fix Ceiling fix only) (Straight only)
- Duel Blind (Combo) Brackets Universal (top fix Ceiling fix only)

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au

Rollease System

Designed in America, Rollease are the inventors of the Chain Clutch mechanism which makes the Roller Blind possible. When working with couplings Rollease has the infinitely adjustable coupling system which allows installers to fit blinds and then simply adjust bottom bar height using the easy adjustment wheel. Universal brackets make this system easy to work with when it comes to large commercial project and intermediate bracketing means you can share one bracket between to blinds (idle couplings without expensive bearing brackets).

Rollease Systems used at Nomad Blinds

Galaxy 400 Chain Clutch 60mm & 80mm HD System is the goliath in our range with a 18kg breaking capacity this clutch is capable and has lifted 4000X2800 blinds and with a spring booster it does it with ease. The galaxy system can be motorised and will lift 5000X2800 blinds with no deflection (veeing) in the fabric (specified fabrics only).

Rollease Roller Blinds 3210 – 3600

- Rollease 50mm Galaxy Brackets
- Galaxy 400 Clutch (18kg braking capacity)
- Rollease 60mm Aluminium Tube
- Spring Assist Standard
- Total blind projection from wall to end of chain mechanism is 100mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 17mm on the chain and 17mm on the pin.
- Motor options are available

Rollease Roller Blinds 3600 – 4500+

- Rollease 60mm Galaxy Brackets
- Galaxy 400 Clutch (18kg braking capacity)
- Rollease 80mm Aluminium Tube
- Spring Assist Standard
- Total blind projection from wall to end of chain mechanism is 100mm
- Continuous Stainless Steel Chain if selected (plastic chain as standard).
- Gap from fabric to wall is 17mm on the chain and 17mm on the pin.
- 50mm Motors only

Nomad Handicrafts (1985) Pty Ltd

ABN: 14 002 664 280

3 Smidmore St Marrickville NSW 2204

P: 02 9692 0066

F: 02 9557 2799

E: enquiries@nomadblinds.com.au

w: www.nomadblinds.com.au